Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG–TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

LT. C. C. REED, U.S.N.

Attached to ____ Division,
____ Squadron,
____ Flotilla,
Service Force U.S. Pacific Fleet,
Fourteenth Naval District,

Commencing +10W 1 November, 1963,
(zone time and date)

at Pearl Harbor, Hawaii,
(location)

and ending +10W 30 November, 1963,
(zone time and date)

at Pearl Harbor, Hawaii
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ (Day) (Date) (Month) , 19

APPROVED:

EXAMINED:

_____ U.S.N. COMMANDING

_____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE FRIDAY (Day) 1 (Date) NOVEMBER (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	000	3	10	SCT	2998	75	72	3	2000	CU			
02	000	3	10	SCT	2998	75	72	3	2000	CU			
03	000	3	10	SCT	2998	75	72	3	2000	CU			
04	000	3	10	SCT	2998	78	74	4	2000	CU			
05	000	3	10	SCT	2998	78	76	4	2000	CU			
06	000	3	10	SCT	2999	78	76	5	2000	CU			
07	000	3	10	BKN	2999	80	78	6	2000	CU			
08	340	4	10	SCT	2994	81	77	5	2000	CU	80	330	1
09	320	3	10	SCT	3001	82	76	2	2000	CU	80	330	1
10	035	3	10	SCT	3001	81	75	2	2000	CU	80	035	1
11	100	5	10	SCT	3000	82	76	3	2000	CU	80	035	1
12	150	7	10	SCT	3000	83	77	3	2000	CU	80	CA & M	
13	150	7	10	SCT	2998	84	76	3	2000	CU	80	CA & M	
14	160	4	10	SCT	2998	86	75	3	2000	CU	80	CA & M	
15	160	3	10	SCT	2998	85	75	3	2000	CU			
16	160	2	10	SCT	2997	85	75	2	2000	CU			
17	180	2	10	SCT	2997	84	75	2	2000	CU			
18	180	2	10	SCT	2997	83	74	3	2000	CU			
19	180	2	10	SCT	2997	81	73	2	2000	CU			
20	180	1	10	SCT	2997	80	73	1	2000	CU			
21	180	1	10	SCT	2997	77	72	1	2000	CU			
22	180	1	10	SCT	2998	77	72	2	2000	CU			
23	180	1	10	SCT	2998	76	71	2	2000	CU			
24	180	1	10	SCT	2998	76	71	3	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 21-16. N		BY 3
λ 158-08.7W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 60

FUEL CONSUMED 0000–2400: 700

REMARKS

0000-04 moored portside to USS CURRENT (ARS-22) in nest of two ships - CURRENT moored portside to Berth Alfa Five (A-5) US Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled, material condition Yoke (modified) set. Receiving telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, District and Small Craft. SOPA is Deputy ComCPac 7th.

J.H. Hollis. CWO-2 USN

04-08 moored as before. 0700 mustered the crew on stations, absentees: none. Commenced making preparations for getting underway. 0710 Set the special sea and anchor detail, Captain and navigator on the Bridge, OOD 0725. Draft, FWD. 13'4" and AFT. 16'4", 0726 commenced maneuvering to stand out from berth. 0728 underway steering various courses & speeds while standing out of the Harbor and

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) FRIDAY 1 November, 1963
(Day) (Date) (Month)

04-08 (cont'd) Channel. Underway in accordance with Ltr Fra Gen. weekly op order 44-63. Local ops. 0733 passed Buoy #6 abeam to starboard approximately 50 yds. Base Course 153, Speed 9.5 Kts. 0741 passed Buoy #1 abeam to starboard approximately 50 yds. 0742 Secured the special sea detail and Anchor detail, C/S 12.3 Kts. 0743 C/S 13.3 Kts. 0744 C/C 180°, 0749 C/C 260°, 0753 C/C 270°. 0754 intered International Waters

J.C. Hollis. CWO2, USN

08-12 Underway as before. 0830 C/C to 328° 0905 C/S to 12.3 Kts 0907 making various speeds while making electrical switchboard adjustments. 0950 C/C to 145°, secured from electrical switchboard adjusting procedure. C/S to 13.3 Kts. 1020 Commence small arms practice. 1022 C/C to 120° C/S to 12.3 Kts, 1052 C/C to 130° 1059 C/C to 180° C/S to 6.7 Kts 1105 Maneuvering at various courses at various speeds while conducting small arms drill. 1145 Secured from small arms practice. 1154 C/C to 090°. Made daily inspection of magazines and smokeless powder samples condition normal. Conducted weekly test of magazine sprinkler system test satisfactory. R M Turner Eng USNR

12-16 Underway As before. 1315 C/S - 3.3 Kts 1321 C/S - 12.3 Kts 1328 C/C - 333° SET THE SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN

L E Horton LTJG USN.

12-16 (CONT) Underway as before. draft 13'4 forward 16'4" aft 1332 C/S to 9.5 Kts 1335 Passed sea buoys 1 and 2 in bound. Steering various courses at various speeds to moor at Siena seventeen. 1426 Moored portside to USS Hitchiti outboard berth siena 17 US Naval Submarine base Pearl Harbor Hawaii.

R M Turner Eng USNR

16-20 Moored as before 1800 Set modified condition Yoke

R M Turner Eng USNR

20-24 Moored as before

R M Turner Eng USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Ltjg. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 W DATE Saturday 2 Nov (Day) (Date) (Month), 19 63

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	180	1	10	SCT	2998	76	71	3	2000	CU			
02	170	1	10	SCT	2998	76	71	3	2000	Sc			
03	160	2	10	SCT	2999	77	72	3	2000	Sc			
04	160	3	10	SCT	3000	75	73	4	2000	Sc			
05	150	3	10	SCT	3000	78	74	4	2000	Sc			
06	150	4	10	SCT	3000	82	77	4	1500	Sc			
07	130	5	10	SCT	3000	85	78	5	1500	Sc			
08	100	5	10	SCT	3001	86	79	5	1500	Sc			
09	100	5	10	SCT	3001	88	81	5	2000	CU			
10	100	5	10	SCT	3001	88	82	5	2000	CU			
11	080	5	10	SCT	3000	87	82	5	2000	CU			
12	080	5	10	SCT	3000	88	83	5	2000	CU			
13	070	5	10	SCT	2999	88	83	4	2000	CU			
14	060	5	10	SCT	2999	87	83	4	2000	CU			
15	050	5	10	SCT	2999	86	83	4	2000	CU			
16	050	5	10	SCT	3000	85	81	4	2000	CU			
17	050	5	10	SCT	3000	85	80	4	2000	CU			
18	050	5	10	SCT	3000	84	78	5	2000	CU			
19	050	6	10	SCT	3000	83	77	5	2000	CU			
20	050	6	10	SCT	2998	82	76	5	2000	CU			
21	050	6	10	SCT	2998	80	75	5	2000	CU			
22	050	6	10	SCT	2998	77	74	5	2000	Sc			
23	050	6	10	BKN	2997	77	73	6	2000	Sc			
24	050	6	10	BKN	2997	77	73	6	2000	Sc			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: 250

REMARKS

00-04 Moored portside to USS Hitchiti, outboard forward Sierra Seventeen (17) using standard mooring lines, at Pearl Harbor Hawaii. Receiving fresh water, and telephone service from the pier, Material Condition Yoke modified is set. Ships present include various units of US Pacific Fleet, units of HMNZ Navy and Royal Canadian Navy, also various yards and district small craft. SOPA is COM ASW FOR PAC

A M Turner EnsUSN

04-08 Moored as before. 0745 Mustered crew on stations absentees none.

A M Turner EnsUSN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: P S Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SATURDAY (Day) 2 (Date) NOVEMBER (Month), 1963

Ø8-12 MOORED AS BEFORE. Ø9ØØ COMMENCED ~~COMMANDING~~ COMMANDING OFFICER'S ~~PERSONELL~~ PERSONNELL INSPECTION. Ø918 SECURED FROM COMMANDING OFFICER'S ~~PERSONELL~~ PERSONNEL INSPECTION 1ØØ2 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL.

C. P. McKenzie, ENS, USNR

12-16 MOORED AS BEFORE.

C. P. McKenzie, ENS, USNR

16-20 MOORED AS BEFORE. *182Ø MUSTERED THE INPORT FIRE PARTY. ABSENTEES: NONE. *1800 SET MATERIAL CONDITION YOKE Modified.

C. P. McKenzie, ENS, USNR

2Ø-24 MOORED AS BEFORE.

C. P. McKenzie, ENS, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D J Mason, Flyg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE MONDAY (Day) 4 NOVEMBER (Date) (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	3	10	SCT	3002	76	71	3	3000	AC			
02	040	3	10	SCT	3002	76	71	3	3000	AC			
03	040	3	10	SCT	3002	76	71	3	3000	AC			
04	040	3	10	SCT	3004	75	72	3	3000	AC			
05	040	5	10	SCT	3005	77	72	3	3000	AC			
06	040	7	10	SCT	3005	78	73	3	3000	AC			
07	040	3	10	SCT	3006	79	74	3	3000	AC			
08	040	2	10	SCT	3007	80	74	3	3000	AC			
09	040	4	10	SCT	3005	83	75	3	3000	AC			
10	040	4	10	SCT	3005	83	75	3	3000	AC			
11	040	4	10	SCT	3005	84	76	3	2000	AC/ST			
12	040	4	10	SCT	3005	86	76	3	1000	AC/ST			
13	040	4	10	SCT	3006	87	77	4	1000	ST			
14	040	3	10	SCT	3006	87	77	4	1000	ST			
15	045	3	10	SCT	3006	85	77	5	1000	ST			
16	045	3	10	SCT	3006	85	75	5	1000	ST			
17	045	3	10	SCT	3007	82	75	5	1000	ST			
18	045	4	10	BKN	3007	82	75	6	1000	ST			
19	045	4	10	BKN	3007	79	74	6	1000	ST			
20	045	5	10	BKN	3007	78	74	6	1000	ST			
21	045	5	10	BKN	3007	78	74	6	1000	ST			
22	045	5	10	BKN	3007	78	74	6	1000	ST			
23	045	5	10	BKN	3007	78	74	6	1000	ST			
24	040	5	10	6	3007	77	73	5	800	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 200

REMARKS

00-04 MOORED PORTSIDE TO. OUTBOARD USS HITCHITI (AHF103) IN BERTH SIERRA SEVENTEEN FORWARD WITH STANDARD MOORING LINES DOUBLED, US NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, HMRC NAVY, HMRNZ NAVY, YARD, AND DISTRICT CRAFT. SOPA IS COMASW FOR PAC.

J E Hoke
LTJG USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS ABSENTEES NONE

J E Hoke
LTJG USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Moon, Stgj U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Monday (Day) 4 (Date) November (Month) 1963

08-12 Moored as before. 1107 made daily inspection of magazines and smokess powder samples. Conditions normal.

DS Mason, Sfyg, USNR

12-16 Moored as before.

DS Mason, Sfyg, USNR

16-20 Moored as before. 1800 set material condition Yoke (Modified).

DS Mason, Sfyg, USNR

20-24 Moored as before.

DS Mason, Sfyg, USNR

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: DS Mason, Sfyg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Tuesday (Day) 5 (Date) November (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	5	10	L	3007	77	73	5	800	ST			
02	040	5	10	L	3007	78	74	7	800	ST			
03	040	6	10	L	3006	79	75	7	1000	ST			
04	040	6	10	BKN	3006	80	76	8	1000	ST			
05	040	6	10	BKN	3005	80	76	8	1000	ST			
06	040	6	10	BKN	3005	83	79	8	1000	Sc			
07	040	4	10	BKN	3006	85	79	7	1000	Sc			
08	040	4	10	BKN	3005	87	80	7	1000	Sc			
09	040	4	10	BKN	3005	88	81	6	1000	Sc			
10	040	4	10	SCT	3004	88	82	5	2000	Sc			
11	040	1	10	SCT	3003	89	83	5	2000	CU			
12	040	1	10	SCT	3003	89	83	5	2000	CU			
13	040	1	10	SCT	3003	90	83	5	2000	CU			
14	040	1	10	SCT	3001	90	83	5	2000	CU			
15	040	1	10	SCT	3001	88	81	4	2000	CU			
16	040	1	10	SCT	3000	86	80	4	2000	CU			
17	040	1	10	SCT	3000	84	78	4	2000	CU			
18	040	5	10	SCT	3000	82	77	4	2000	CU			
19	040	5	10	SCT	3000	80	75	3	2000	CU			
20	040	4	10	SCT	3000	79	74	3	1000	CU			
21	040	3	10	SCT	3000	78	73	3	1000	CU			
22	040	2	10	SCT	3000	77	72	4	1000	CU			
23	040	2	10	SCT	3000	77	72	5	1000	CU			
24	040	2	10	SCT	3000	76	71	5	1000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 275

REMARKS

00-04 Moored ~~as~~ portside to outboard of USS Hitchiti (ATF-103) ~~with Moorin~~ berth Sierra 17. U.S. Naval Submarine Base, Pearl Harbor, Hawaii. Receiving Fresh water and Telephone services from the Pier. Material condition Yoke (Modified) is set. Ships present include various units of the U.S. Pacific Fleet, ~~HMCF~~ HMRC Navy, HM RNZ Navy, yard and district craft. SOPA is CINCPACFLT

D S Mason, Sfyg, USNR

04-08

Moored as before. 0745 Mustered the crew at quarters. Absentees: none

D S Mason, Sfyg, USN

APPROVED: C C Beed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Sfyg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 5 (Date) NOVEMBER (Month) 19 63

08-12 Moored as before. 1015 Made daily inspection of magazines and Smokles powder Samples. Conditions: Normal.

J.L. Hollis, CWO-2, USN

12-16 Moored as before.

J.L. Hollis, CWO-2, USN

16-20 Moored as before. 1800 Set material condition yoke (Modified). 1830 Mustered the Duty Import Fire, Rescue and assistande, and Damage Control party personnel. absentees: None.

J.L. Hollis CWO 2, USN

20-24 Moored as before.

J.L. Hollis. CWO2-USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE WEDNESDAY 6 November 19 63
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	SCT	3000	76	71	5	2000	CU			
02	040	2	10	SCT	3000	76	71	5	2000	CU			
03	040	1	10	SCT	3000	75	71	5	2000	CU			
04	040	1	10	SCT	3000	79	73	5	2000	CU			
05	040	1	10	SCT	3000	80	74	5	2000	CU			
06	040	1	10	SCT	3001	84	76	5	2000	CU			
07	040	2	10	SCT	3001	87	79	5	2000	CU			
08	040	2	10	SCT	3001	87	80	5	2000	CU			
09	040	2	10	SCT	3003	87	80	5	2000	CU			
10	040	2	10	SCT	3003	87	81	5	2000	CU			
11	040	5	10	SCT	3003	88	82	5	2000	SC			
12	040	5	10	SCT	3003	89	83	4	2000	SC			
13	050	7	10	SCT	3003	89	84	4	2000	SC			
14	050	7	10	SCT	3002	90	85	4	2000	SC			
15	050	5	10	SCT	3002	89	84	4	2000	SC			
16	050	3	10	SCT	3001	88	83	4	2000	SC			
17	050	3	10	SCT	3002	86	82	4	2000	SC			
18	050	3	10	SCT	3002	84	80	4	2000	SC			
19	040	1	10	SCT	3002	83	77	4	2000	SC			
20	040	2	10	SCT	3001	82	76	3	2000	SC			
21	040	1	10	SCT	3001	80	75	3	2000	SC			
22	040	2	10	SCT	3002	79	74	3	2000	SC			
23	040	1	10	SCT	3002	78	73	3	2000	SC			
24	040	1	10	SCT	3002	78	73	3	2000	SC			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 200

REMARKS

00-04 moored portside and outboard of USS Hitchiti (ATF-103) ~~in~~ pier ~~nest of two ships~~. with Standard mooring lines doubled. Hitchiti pier moored port side to Berth Sierra 17, U.S. Naval Submarine Base, Pearl Harbor, Hawaii, Receiving potable water and telephone Service from the pier. Material Condition yoke (Modified) Set, Ships present include various Units of the U.S. Pacific Fleet, District and Small Craft, H.M.R.C and H.M.R.N.Z naval Units, SOPA is COMASW FORPAC.

J.L. Hollis, CWO-2-USN

04-08 moored as before, 0730 mustered the Crew at Quarters, Absentees: None.

J.L. Hollis, CWO-2-USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.D. Mason, Stfg. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY 6 NOVEMBER, 1963
(Day) (Date) (Month)

08-12 Moored as before 0937 made daily inspection of magazines and smakeless powder samples, conditions normal.

A M Turner Ens USNR

12-16 Moored as before.

A M Turner Ens USNR

16-20 Moored as before. 1800 Set material condition Yoke modified, mustered import collision and Damage control Party ~~provide~~ - absentees: none Ran

A M Turner Ens USNR

20-24 Moored as before

A M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Nason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNARI ATF 96 ZONE DESCRIPTION +10W DATE THURSDAY (Day) 7 (Date) NOVEMBER (Month), 19 63

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	1	10	SCT	3002	78	73	3	2000	CU			
02	040	1	10	SCT	3002	79	73	3	2000	CU			
03	040	1	10	SCT	3001	80	73	3	2000	CU			
04	040	1	10	SCT	3001	80	73	3	2000	CU			
05	040	2	10	SCT	3001	83	74	3	2000	CU			
06	040	3	10	SCT	3000	84	74	3	2000	CU			
07	020	3	10	SCT	2998	85	75	3	2000	CU			
08	020	3	10	SCT	2999	87	76	3	2000	CU			
09	030	4	10	SCT	2998	89	76	3	2000	CU			
10	030	4	10	SCT	3000	90	77	3	2000	CU			
11	040	4	10	SCT	3000	89	78	3	2000	CU			
12	040	4	10	SCT	3000	89	78	3	2000	CU			
13	040	4	10	SCT	3001	89	78	3	2000	CU			
14	040	5	10	SCT	3002	89	77	3	2000	CU			
15	040	5	10	SCT	3004	90	79	3	2000	CU			
16	040	5	10	SCT	3004	90	79	3	2000	CU			
17	040	5	10	SCT	3005	87	79	3	2000	CU			
18	040	5	10	SCT	3006	84	78	4	2000	CU			
19	040	3	10	SCT	3006	80	77	4	2000	CU			
20	040	4	10	BKN	3006	80	76	7	1000	SC			
21	040	4	7	R	3006	80	75	9	800	ST			
22	040	4	7	R	3006	80	75	9	800	ST			
23	040	4	6	R	3007	79	75	9	800	ST			
24	040	4	6	R	3007	79	75	9	800	ST			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 15Ø

REMARKS

00-04 Moored portside to the USS Hitchiti ATF103 outboard berth Sierra seventeen (17) US NAVAL SUBMARINE BASES Pearl Harbor R2 Hawaii using standard mooring lines. Receiving fresh water and telephone service from the pier. Material condition Yoke modified is set. Ships present include various units of the US Pacific Fleet, HMNZ NAVY and the Royal Canadian Navy and various yard and district small craft. SOPA is COM ASW FOR PAC

AM Turner Ens USNR

04-08 Moored as before ~~0707 Lowered C.J.~~ DSM ~~RMZ returned from 30 days annual leave~~ DSM
0735 breasted out to allow USS Hitchiti (ATF-103) to get underway.

AM Turner Ens USNR

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Nasen, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 7 (Date) NOVEMBER (Month), 1963

08-12 MOORED AS BEFORE. 0800 MUSTERED THE CREW ~~AT~~ cpm ON STATIONS. ABSENTEES: NONE. 0930 MADE DAILY INSPECTION OF MAGAZINE AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL.

C. P. McKenzie, Ens, USNR

12-16 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

16-20 MOORED AS BEFORE. 1800 MUSTERED THE DUTY FIRE PARTY. ABSENTEES: NONE. SET MATERIAL CONDITION YOKE MODIFIED.

C. P. McKenzie, Ens, USNR

20-24 MOORED AS BEFORE

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Nason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE ~~8~~ FRIDAY 8 (Day) (Date) NOVEMBER (Month), 19 63 crm

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	5	10	SCT	3007	78	73	5	2000	SC	—	—	—
02	040	5	10	SCT	3006	77	73	5	800	ST	—	—	—
03	040	5	10	SCT	3006	76	73	5	800	ST	—	—	—
04	040	5	10	SCT	3006	76	73	3	2000	SC	—	—	—
05	040	5	10	SCT	3006	76	73	3	2000	CU	—	—	—
06	045	5	10	SCT	3006	76	73	3	2000	CU	—	—	—
07	040	6	10	SCT	3006	80	77	3	2000	CU	—	—	—
08	040	5	10	SCT	3004	80	77	3	2000	CU	—	—	—
09	040	4	10	SCT	3004	82	78	3	2000	CU	—	—	—
10	040	4	10	SCT	3003	83	79	3	2000	CU	—	—	—
11	040	4	10	SCT	3002	84	80	3	2000	CU	—	—	—
12	035	4	10	SCT	3000	86	81	3	2000	CU	—	—	—
13	030	4	10	SCT	2999	87	83	3	2000	CU	—	—	—
14	030	4	10	SCT	2999	87	84	4	2000	CU	—	—	—
15	030	4	10	SCT	3000	86	83	4	2000	CU	—	—	—
16	040	4	10	SCT	3002	85	81	4	2000	CU	—	—	—
17	040	4	10	SCT	3002	84	80	4	2000	CU	—	—	—
18	040	4	10	SCT	3003	83	79	4	2000	CU	—	—	—
19	040	4	10	SCT	3004	82	78	4	2000	CU	—	—	—
20	040	4	10	SCT	3006	80	75	4	2000	CU	—	—	—
21	040	4	10	SCT	3006	80	75	5	2000	CU	—	—	—
22	040	5	10	SCT	3006	79	74	5	2000	CU	—	—	—
23	040	5	10	SCT	3006	78	74	5	2000	CU	—	—	—
24	040	5	10	SCT	3006	78	73	5	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: ∅

FUEL CONSUMED 0000–2400: 160

REMARKS

∅∅-∅4 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN (S-17), ~~US NAVAL BASE PEARL~~ SUBMARINE BASE PEARL WITH STANDARD MOORING LINES DOUBLED crm
OS NAVAL ~~BASE PEARL~~ SUBMARINE BASE PEARL HARBOR, HAWAII. RECEIVING ELECTRICAL, DS
STEAM AND TELEPHONE SERVICES FROM THE PIER. MATERIAL CONDITION YOKE MODIFIED SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, HMRNZ FLEET, DISTRICT AND YARD CRAFT. SOPA IS COMASWFORPAC.

C. P. McKenzie, Ens, USNR

∅4-∅8 MOORED AS BEFORE. ∅745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R D Tuson, Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 8 (Date) NOVEMBER (Month), 19 63

0800-1200 MOORED AS BEFORE. 0922 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM: TEST; SATISFACTORY

J E Houlton
LTJG USN

1200-1600 MOORED AS BEFORE.

J E Houlton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE

J E Houlton
LTJG USN

2000-2400 MOORED AS BEFORE.

J E Houlton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE SATURDAY (Day) 9 (Date) NOVEMBER (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	05	10	SCT	3006	76	73	5	2000	CU	–	–	–
02	040	05	10	SCT	3006	76	73	5	2000	CU	–	–	–
03	040	05	10	SCT	3004	76	73	5	2000	CU	–	–	–
04	040	05	10	SCT	3003	77	74	5	2000	CU	–	–	–
05	040	05	10	SCT	3001	78	74	5	2000	CU	–	–	–
06	040	05	10	SCT	3001	79	75	5	2000	CU	–	–	–
07	040	05	10	SCT	3000	80	76	5	2000	CU	–	–	–
08	040	05	10	BKN	2998	80	76	6	2000	CU	–	–	–
09	040	05	10	BKN	2996	82	77	6	2000	CU	–	–	–
10	040	05	10	BKN	2994	83	77	6	2000	CU	–	–	–
11	040	05	10	BKN	2993	84	77	6	2000	CU	–	–	–
12	040	05	10	BKN	2992	85	77	7	2000	AC/CU	–	–	–
13	040	02	10	BKN	2992	85	77	7	2000	AC/CU	–	–	–
14	040	02	10	BKN	2992	84	76	6	2000	AC/CU	–	–	–
15	040	07	10	BKN	2992	82	77	7	2000	AC/CU	–	–	–
16	040	07	10	BKN	2994	82	77	7	2000	CU	–	–	–
17	040	07	10	BKN	2994	81	76	7	2000	CU	–	–	–
18	040	07	10	BKN	2996	80	75	7	2000	CU	–	–	–
19	040	06	10	BKN	2997	80	75	7	2000	CU	–	–	–
20	040	06	10	BKN	2999	80	75	7	2000	CU	–	–	–
21	040	05	10	BKN	3000	79	74	7	2000	CU	–	–	–
22	040	05	10	BKN	3002	79	74	7	2000	CU	–	–	–
23	040	05	10	BKN	3003	79	74	7	2000	CU	–	–	–
24	040	04	10	BKN	3004	78	74	7	2000	CU	–	–	–

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: 120

REMARKS

ØØ-Ø4 MOORED PORTSIDE TO IN BERTH SIERRA SEVENTEEN, FORWARD, WITH STANDARD MOORING LINES DOUBLED. RECEIVING ELECTRICIAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. MODIFIED MATERIAL CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, HMRC NAVY, HMRNZ NAVY, YARD AND DISTRICT CRAFT. SOPA IS COM ASW FOR PAC.

H E Hutton
LTJG USN

Ø4-Ø8 MOORED AS BEFORE Ø745 MUSTERED CREW ON STATIONS: ABSENTEES: NONE.

H E Hutton
LTJG USN.

APPROVED: C C Bedell Lt. U.S.N. COMMANDING

EXAMINED: R D Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (CATF-96) SATURDAY (Day) 9 (Date) Nov (Month) 19 63

08-12 Moored as before. 0900 Made daily inspection of magazines and smokeless powder samples.

D D Mason, Flyg, USNR

12-16 Moored as before.

D D Mason, Flyg, USNR

16-20 - Moored as before. 1800 Set material condition Yoke (Modified)

D D Mason, Flyg, USNR

20-24 Moored as before.

D D Mason, Flyg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Flyg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Sunday (Day) 10 (Date) Nov (Month), 19 63

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	BKN	3005	76	73	7	2000	CU	—	—	—
02	040	5	10	BKN	3005	76	73	7	2000	CU	—	—	—
03	040	5	10	BKN	3004	77	74	7	2000	CU	—	—	—
04	040	5	10	BKN	3004	78	74	7	2000	CU	—	—	—
05	040	5	10	BKN	3003	78	74	7	2000	CU	—	—	—
06	040	5	10	BKN	3002	80	75	7	2000	CU	—	—	—
07	040	6	10	BKN	3000	80	75	7	2000	CU	—	—	—
08	040	8	10	BKN	2999	80	75	7	2000	CU	—	—	—
09	040	8	10	BKN	2997	81	76	7	2000	CU	—	—	—
10	040	10	10	BKN	2996	82	76	7	2000	CU	—	—	—
11	040	12	10	BKN	2994	84	77	7	2000	CU	—	—	—
12	040	15	10	BKN	2992	85	77	7	2000	CU	—	—	—
13	040	12	10	BKN	2992	85	77	7	2000	CU	—	—	—
14	040	12	10	BKN	2992	84	76	6	2000	CU	—	—	—
15	040	7	10	BKN	2992	82	77	7	2000	CU	—	—	—
16	040	7	10	BKN	2992	82	77	7	2000	CU	—	—	—
17	040	7	10	BKN	2993	82	77	7	2000	CU	—	—	—
18	040	7	10	BKN	2993	81	77	7	2000	CU	—	—	—
19	040	5	10	BKN	2993	80	77	7	2000	CU	—	—	—
20	040	5	10	BKN	2994	80	76	7	2000	CU	—	—	—
21	040	5	10	BKN	2994	80	76	7	2000	CU	—	—	—
22	040	5	10	BKN	2994	79	76	7	2000	CU	—	—	—
23	040	5	10	BKN	2994	78	76	7	2000	CU	—	—	—
24	040	5	10	BKN	2994	76	75	7	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: ∅

FUEL CONSUMED 0000-2400: ∅

REMARKS

00-04 MOORED PORTSIDE TO BERTH SIERRA 17, U.S. NAVAL SUBMARINE BASE, Pearl Harbor, Hawaii WITH STANDARD MOORING LINES doubled. Material CONDITION Yoke (Modified) 1 S t SET. Receiving FRESH WATER, TELEPHONE AND ELECTRICAL SERVICES FROM THE Pier. Ships present include various units OF THE U.S Pacific Fleet, HMRC NAVY, HMRNZ NAVY, MSTS, AND DISTRICT CRAFT. SOPA is COMASWFORPAC.

R S Mason, Slyg, USNR

04-08 MOORED AS before, 0745 Mustered the crew on stations Absentees: none.

R S Mason, Slyg, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R S Mason, Slyg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 10 (Date) NOVEMBER (Month) 1963

08-12 moored as before; 1126 made daily inspection of magazines and smokeless powder samples. Conditions: Normal.

J.L. Hollis, CWO-2-USN

12-16 moored as before:

J.L. Hollis, CWO-2-USN

16-20 moored as before: 1800 set ~~[illegible]~~ material condition [illegible] yoke (modified).

J.L. Hollis, CWO-2-USN

20-24 moored as before:

J.L. Hollis, CWO-2-USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nasen, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE MONDAY (Day) 11 (Date) NOVEMBER (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	5	10	BKN	2992	76	75	7	2000	CU			
02	040	7	10	BKN	2993	75	70	7	2000	CU			
03	040	7	10	BKN	2993	75	70	7	2000	CU			
04	040	7	10	BKN	2994	74	70	7	2000	CU			
05	040	8	10	BKN	2994	73	70	8	2000	SC			
06	040	8	10	BKN	2993	74	70	8	2000	SC			
07	040	10	10	BKN	2993	74	70	7	2000	SC/CU			
08	040	8	10	SCT	2994	77	71	5	2000	SC/CU			
09	040	8	10	SCT	2996	80	72	3	2000	SC/CU			
10	040	8	10	SCT	2997	82	74	3	2000	SC/CU			
11	040	8	10	SCT	2998	83	75	3	2000	SC/CU			
12	040	8	10	SCT	2998	83	75	3	2000	SC/CU			
13	040	8	10	SCT	2996	87	77	3	2000	CU			
14	040	8	10	SCT	2994	84	78	3	2000	CU			
15	040	8	10	SCT	2994	83	74	3	2000	CU			
16	040	5	10	SCT	2992	82	77	3	2000	CU			
17	040	5	10	SCT	2992	82	76	3	2000	CU			
18	040	5	10	SCT	2992	81	75	3	2000	CU			
19	040	5	10	SCT	2993	80	74	3	2000	CU			
20	040	5	10	SCT	2993	80	73	3	2000	CU			
21	040	5	10	SCT	2992	76	73	3	2000	SC/CU			
22	040	5	10	SCT	2993	76	72	3	2000	CU			
23	040	5	10	SCT	2992	75	71	3	2000	CU			
24	040	5	10	SCT	2993	75	70	3	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 0

FUEL CONSUMED 0000-2400: 0

REMARKS

00-04 moored port side to Sierra 17 (S-17) U.S. Naval Submarine Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving potable water, electrical power and telephone service from the pier. Material condition yoke (Modified) set. Ships present include various units of the U.S. Pacific Fleet, HMRC and HMRNZ Navy units, District and small craft. S.O.P.A. is Com ASWFORPAC.

J.L. Hollis, CWO-2, USN

04-08 - moored as before; 0745 mustered the crew on stations; absentees: None.

J.L. Hollis, CWO-2, USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.D. Mason, Stgg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Monday (Day) 11 (Date) November (Month) 19 63

08-12 Moored as before. 0825 Made Daily ~~magazine~~ inspection of magazine and smokeless powder samples conditions normal.

Jn Turner Ens USNR

12-16 Moored as before

Jn Turner Ens USNR

16-20 Moored as before, 1800 Set material condition Yoke modified.

Jn Turner Ens USNR

20-24 Moored as before

Jn Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Rosen, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Tuesday (Day) 12 (Date) November (Month), 1963

AT/~~PASSAGE~~ FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	5	10	SCT	2993	75	70	3	2000	CU			
02	040	5	10	SCT	2997	75	70	3	2000	CU			
03	040	1	10	SCT	2998	74	70	3	2000	CU			
04	040	1	10	CLR	2999	74	70	–	–	–			
05	050	2	10	SCT	2999	73	69	2	2000	CU			
06	070	2	10	SCT	2999	71	69	3	2000	CU			
07	080	1	10	SCT	3000	71	70	3	2000	CU			
08	–	–	10	SCT	3002	72	70	3	2000	CU			
09	085	2	10	SCT	3005	76	70	3	2000	CU			
10	085	2	10	SCT	3005	79	71	3	2000	CU			
11	090	2	10	SCT	3005	84	76	3	2000	CU			
12	090	2	10	SCT	3005	86	78	3	2000	CU			
13	–	–	10	SCT	3005	86	78	3	2000	CU			
14	–	–	10	SCT	3003	86	78	3	2000	CU			
15	–	–	10	SCT	3001	86	78	3	2000	CU			
16	090	2	10	SCT	3000	85	77	3	2000	CU			
17	090	2	10	SCT	2999	84	76	3	2000	CU			
18	090	2	10	SCT	2999	79	75	3	2000	CU			
19	080	1	10	SCT	2998	78	74	3	2000	CU			
20	080	1	10	SCT	2998	77	73	3	2000	CU			
21	080	1	10	SCT	2999	76	72	3	2000	CU			
22	080	2	10	SCT	2999	75	71	3	2000	CU			
23	080	2	10	SCT	2999	74	70	3	2000	CU			
24	080	2	10	SCT	2999	74	70	3	2000	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

00-04 Moored portside to in US NAVAL Submarine Base Pearl Harbor Hawaii RJ berth. Sierra seventeen forward, with standard mooring lines doubled. Recieving electrical power, freshwater and telephone service from the pier. Modified condition Yoke is set. Ships present include various units of U.S. Pacific Fleet, HMRC Navy, HMRNZ Navy, Yard and district craft. SOPA is COMASWFOR PAC

R.M. Turner Ens USNR

04-08 Moored as before 0745 Mustered crew at quarters; absentees: none

R.M. Turner Ens USNR

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Nason, Lt. U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 TUESDAY (Day) 12 (Date) NOVEMBER (Month) 19 63

Ø8-12 MOORED AS BEFORE. Ø837 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL. 1046 USS RECLAIMER (ARS 42) STOOD IN AND MOORED ALONGSIDE TO STARBOARD.

C. P. McKenzie, Ens, USNR

12-16 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR.

~~12~~ cpm

16-2Ø MOORED AS BEFORE. 18ØØ SET CONDITION YOKE MODIFIED.

C. P. McKenzie, Ens, USNR

2Ø-24 MOORED AS BEFORE. 223Ø SECURED ELECTRICAL POWER TO CLEAN SWITCHBOARD. 2334 RESTORED ELECTRICAL POWER.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 W DATE WEDNESDAY 13 NOVEMBER, 19 63
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	2	10	SCT	2999	70	69	3	2000	CU			
02	080	2	10	SCT	2999	70	69	2	2000	CU			
03	060	2	10	SCT	2999	70	69	2	2000	CU			
04	040	2	10	SCT	2999	70	69	2	2000	CU			
05	040	2	10	SCT	2998	70	69	2	2000	CU			
06	040	2	10	SCT	2999	70	69	3	2000	CU			
07	045	2	10	SCT	2999	71	69	3	2000	CU			
08	040	2	10	SCT	2998	72	69	3	2000	CU			
09	040	2	10	SCT	2998	77	70	3	2000	CU			
10	040	2	10	SCT	2998	80	73	3	2000	CU			
11	035	2	10	SCT	2997	87	79	3	2000	CU			
12	030	2	10	SCT	2997	90	80	3	2000	CU			
13	030	2	10	SCT	2997	90	81	3	2000	CU			
14	030	2	10	SCT	2996	89	81	3	2000	CU			
15	030	2	10	SCT	2996	89	81	3	2000	CU			
16	040	5	10	SCT	2997	87	80	3	2000	CU			
17	040	5	10	SCT	2997	85	79	3	2000	CU			
18	040	7	10	SCT	2998	84	78	3	2000	CU			
19	040	7	10	SCT	2997	82	77	3	2000	CU			
20	040	5	10	SCT	3000	79	76	3	2000	CU			
21	040	5	10	SCT	3000	79	75	3	2000	CU			
22	040	5	10	SCT	3001	78	74	3	2000	CU			
23	040	3	10	SCT	3002	77	73	3	2000	CU			
24	040	3	10	SCT	3002	77	73	3	2000	CU			

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: 23

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN (S-17), OS ~~NAVAL~~ SUBMARINE BASE PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. USS RECLAIMER (ARS 42) MOORED ALONGSIDE TO STARBOARD. MATERIAL CONDITION YOKE MODIFIED SET. RECEIVING TELEPHONE, ELECTRICAL, AND FRESH WATER SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, HMRC NAVY, HMRNZ NAVY, AND DISTRICT AND YARD CRAFT. SOPA IS ~~COM ASW FOR PAC~~ DEPUTY C/INCPACFLT. CPM

C. P. McKenzie, Ens, USNR

Ø4-Ø8 MOORED AS BEFORE. Ø73Ø MUSTERED CREW ON STATIONS. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Read Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 13 (Date) NOVEMBER (Month), 19 63

0800-1200 MOORED AS BEFORE. 1122 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL

H E Horton
LTJG USN

1700-1600 MOORED AS BEFORE.

H E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE-MODIFIED.

H E Horton
LTJG USN

2000-2400 MOORED AS BEFORE

H E Horton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 14 (Date) NOVEMBER (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	SCT	3001	76	71	3	1500	CU	–	–	–
02	040	2	10	SCT	2999	76	71	3	1500	CU	–	–	–
03	040	2	10	SCT	2998	76	71	3	1500	CU	–	–	–
04	040	2	7	SCT	2997	77	71	3	1500	CU	–	–	–
05	040	2	7	SCT	2997	77	71	3	1500	CU	–	–	–
06	040	2	7	SCT	2996	77	71	3	1500	CU	–	–	–
07	040	2	10	SCT	2997	79	73	3	1500	CU	–	–	–
08	040	2	10	SCT	2999	80	73	3	1500	CU	–	–	–
09	040	2	10	SCT	3000	82	74	4	1500	CU	–	–	–
10	040	2	10	SCT	3000	84	74	5	1500	CU	–	–	–
11	040	2	10	SCT	3004	85	75	5	1500	CU	–	–	–
12	040	2	10	SCT	3005	87	78	5	1500	CU	–	–	–
13	040	2	10	SCT	3006	88	79	5	1500	CU	–	–	–
14	040	2	10	SCT	3006	87	79	4	1500	CU	–	–	–
15	040	2	10	SCT	3004	86	77	4	1500	CU	–	–	–
16	040	2	10	SCT	3002	84	76	4	1500	CU	–	–	–
17	040	2	10	SCT	3001	84	76	4	1500	CU	–	–	–
18	040	2	10	SCT	3000	83	75	4	1500	CU	–	–	–
19	040	2	10	SCT	2998	82	75	4	1500	CU	–	–	–
20	040	2	10	SCT	2997	81	74	4	1500	CU	–	–	–
21	040	2	10	SCT	2997	81	74	3	1500	CU	–	–	–
22	040	2	10	SCT	2998	80	73	3	1500	CU	–	–	–
23	040	2	10	SCT	3000	78	71	3	1500	CU	–	–	–
24	040	2	10	SCT	3003	77	70	5	1500	CU	–	–	–

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: Ø

REMARKS

US NAVAL SUBMARINE BASE Pearl Harbor Hawaii

ØØ-Ø4 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN A WITH STANDARD MOORING LINES DOUBLED. MODIFIED MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER, ELECTRICAL POWER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS DEP. CINCPACFLT.

H. E. Hunter
LTJG USN

Ø4-Ø8 MOORED AS BEFORE. Ø72Ø MUSTERED CREW AT QUARTERS: ABSENTEES NONE.

H. E. Hunter
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R V Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday (Day) 14 (Date) Nov (Month), 19 63

08-12 Moored as before. 0817 ~~Received dai~~ Made daily inspection of magazines and smokeless powder samples. 0910 Commenced Administrative Inspection ~~by~~ Commander Service Force US Pacific Fleet, Chief of Staff, Chief Inspector. 1130 Secured from inspection.

RS Mason, Ltjg. USNR

12-16 Moored as before.

RS Mason, Ltjg, USNR

16-20 Moored as before. 1800 Set material condition Yoke (Modified).

RS Mason, Ltjg. USNR

20-24 Moored as before.

RS Mason, Ltjg, USNR

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE FRIDAY (Day) 15 (Date) NOVEMBER (Month), 19 63

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	BKN	3003	77	70	8	1500	CU	—	—	—
02	040	2	10	BKN	3004	76	69	8	1500	CU	—	—	—
03	040	2	10	BKN	3004	76	69	8	1500	CU	—	—	—
04	045	2	10	BKN	3003	76	70	8	1500	CU	—	—	—
05	045	2	10	BKN	3000	76	70	7	1500	CU	—	—	—
06	045	2	10	BKN	3000	79	71	7	1500	CU	—	—	—
07	045	2	10	BKN	3000	79	71	6	1500	CU	—	—	—
08	045	2	10	SCT	3002	83	72	2	2000	CU	—	—	—
09	045	2	10	SCT	3003	83	74	2	2000	CU	—	—	—
10	045	2	10	SCT	3004	83	74	2	2000	CU	—	—	—
11	045	2	10	SCT	3003	88	74	2	2000	CU	—	—	—
12	050	2	10	SCT	3001	91	77	4	2500	CU	—	—	—
13	050	2	10	SCT	3001	93	78	3	2500	CU	—	—	—
14	060	2	10	SCT	2998	95	79	3	2500	CU	—	—	—
15	045	2	10	SCT	2995	93	84	2	2500	CU	—	—	—
16	045	5	10	SCT	2995	87	80	3	2500	CU	—	—	—
17	045	5	10	SCT	2995	83	78	3	2500	CU	—	—	—
18	045	5	10	SCT	2995	81	77	3	2500	CU	—	—	—
19	045	3	10	SCT	2995	81	76	4	2500	CU	—	—	—
20	045	2	10	SCT	2995	80	77	4	2500	CU	—	—	—
21	045	2	10	SCT	2995	80	77	3	2500	CU	—	—	—
22	045	2	10	SCT	2995	80	77	3	2500	CU	—	—	—
23	045	2	10	SCT	2995	79	76	3	2500	CU	—	—	—
24	045	2	10	SCT	2995	78	76	3	2500	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 0

REMARKS

U.S. Naval Submarine Base, Pearl Harbor Hawaii

00-04 Moored port side to Berth Sierra eighteen (18), with standard mooring lines doubled. Modified condition Yoke is set. Receiving fresh water, telephone, and electrical services from the pier. Ships present include various ~~ships~~ units of the U.S. Pacific fleet, yard, and district craft. SOPA is Deputy CINCPACFLT.

D S Mason, Flyg, USNR

04-08 Moored as before. 0720 Mustered the crew at quarters Absentees: None.

D S Mason, Flyg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Flyg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 15 (Date) NOVEMBER (Month), 1963

08-12 moored as before. 0845 made daily inspection of magazines and Smokeless powder samples. Conditions normal. Made weekly test and inspection of the magazine Sprinkling System. Test Satisfactory.

J.C. Hollis. CWO 2 - USN

12-16 moored as before. 1300 mustered the crew for personel inspection by Commander Service Force, U.S. Pacific Fleet, Chief of Staff. 1318 ComServPac Chief of Staff arrived on board. 1457 ComServPac Chief of Staff departed the ship. Secured from inspections.

J.C. Hollis CWO 2, USN

16-20 moored as before: 1800 Set material condition Yoke (Modified) 1830 mustered the duty Fire and Flamage Control party, absentees: none.

J.C. Hollis - CWO 2, USN.

20-24 moored as before:

J.C. Hollis. CWO 2, USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 W DATE SATURDAY (Day) 16 (Date) NOVEMBER (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	045	2	10	SCT	2993	78	76	3	2500	CU			
02	045	2	10	SCT	2993	78	76	3	2500	CU			
03	045	2	10	SCT	2992	78	76	3	2500	CU			
04	050	1	10	SCT	2998	78	76	2	2500	CU			
05	055	2	10	SCT	2998	78	76	4	2500	CU			
06	060	1	10	SCT	2999	78	77	2	2500	CU			
07	060	2	10	SCT	2999	78	76	3	2500	CU			
08	060	1	10	SCT	2999	77	75	3	2500	CU			
09	060	1	10	SCT	2999	80	79	3	2500	CU			
10	060	1	10	SCT	2999	83	82	3	2500	CU			
11	060	1	10	SCT	2999	86	84	3	2500	CU			
12	060	2	10	SCT	3000	87	86	5	1600	CU			
13	055	2	10	SCT	3001	90	89	5	1800	CU			
14	060	2	10	SCT	3001	94	86	3	2500	CU			
15	060	2	10	SCT	3001	96	86	3	2500	ST			
16	060	2	10	SCT	3001	90	81	2	3000	ST			
17	060	2	10	SCT	3001	90	81	2	3000	ST			
18	060	2	10	SCT	3001	88	81	2	3000	ST			
19	060	2	10	SCT	3000	87	80	2	3000	ST			
20	060	1	10	SCT	3000	86	80	2	3000	ST			
21	060	1	10	SCT	3000	86	80	2	3000	ST			
22	060	1	10	SCT	2999	86	80	2	3000	ST			
23	060	1	10	SCT	2999	86	80	2	3000	ST			
24	060	1	10	SCT	2998	86	80	2	3000	ST			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

00-04 Moored port side to Sierra 17 (S-17) berth U.S. Naval Submarine Base, Pearl Harbor, Hawaii using Standard mooring lines doubled. Receiving Electrical power, potable water and telephone service from the pier, material condition yoke (modified) set. Ships present include various units of the U.S. Pacific Fleet, HMRC and HMRNZ Navies, District and Small Craft. S.O.P.A. is Deputy CinC Pac Flt.

Jal. Hollis CWO2 USN

04-08 Moored as before; 0755 mustered the crew on stations. absentees: none.

Jal Hollis CWO2 USN

APPROVED: CC Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Saturday (Day) 16 (Date) November (Month) 1963

08-12 Moored as before. 0845 Made daily inspection of magazines and smokeless powder samples. Conditions normal. 1030 USS Ankara (ATF-98) came alongside to starboard.

R M Turner Ens USNR

12-16 Moored as before

R M Turner Ens USNR

16-20 Moored as before. 1800 Set material condition Yoke modified

R M Turner Ens USNR

20-24 Moored as before

R M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Sunday (Day) 17 (Date) November (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	050	1	7	SCT	2998	86	81	2	3000	ST	—	—	—
02	055	1	7	SCT	2998	86	81	2	3000	ST	—	—	—
03	050	1	7	SCT	2998	86	81	2	2000	ST	—	—	—
04	040	1	10	SCT	2998	82	77	4	2000	AC/SC	—	—	—
05	045	2	10	SCT	2999	80	75	4	2000	AC/SC	—	—	—
06	045	1	10	SCT	2999	76	70	4	2000	AC/SC	—	—	—
07	045	1	10	SCT	3000	74	69	4	2000	AC/SC	—	—	—
08	045	2	10	SCT	2999	80	70	4	2000	AC/SC	—	—	—
09	045	2	10	SCT	2997	84	75	4	2000	AC/SC	—	—	—
10	045	2	10	SCT	2997	84	79	4	2000	AC/SC	—	—	—
11	045	2	10	SCT	2996	83	81	5	2000	AC/SC	—	—	—
12	045	2	10	SCT	2997	86	82	5	2000	AC	—	—	—
13	045	2	10	SCT	2997	88	83	5	2000	AC	—	—	—
14	045	2	10	SCT	2997	91	84	5	2000	AC	—	—	—
15	045	2	10	BKN	2997	96	84	6	2000	AC	—	—	—
16	045	2	10	BKN	2997	94	84	6	2000	AC	—	—	—
17	045	2	10	BKN	2997	88	80	6	2000	AC	—	—	—
18	045	2	10	BKN	2997	84	80	6	2000	AC	—	—	—
19	050	4	8	BKN	2997	82	78	6	2000	AC	—	—	—
20	050	3	9	BKN	2997	83	79	6	2000	AC	—	—	—
21	050	3	8	BKN	2997	84	78	6	2000	AC	—	—	—
22	050	4	9	BKN	2997	84	78	6	2000	AC	—	—	—
23	050	4	9	BKN	2997	84	78	6	2000	AC	—	—	—
24	050	4	6	SCT	2997	83	78	5	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: Ø

REMARKS

00-04-08 Moored port side to US Naval Submarine base Pearl Harbor Hawaii in Berth Sierra Seventeen with Standard mooring lines doubled. USS Ankara (ATF-98) is moored alongside to starboard. Receiving fresh water, Electrical power and telephone service from the pier. Ships present include various units of US Pacific Flt, HMRC Navy, HMRNZ Navy and various yard and district small craft.
SOPA is Deputy CinCPacFlt.

R M Turner Ens USNR

04-08 Moored as before 0845 Mustered crew at quarters, absentees

R M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Stjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) SUNDAY (Day) 17 (Date) NOVEMBER (Month), 1963

0800-1200 MOORED AS BEFORE. 1130 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL.

C. P. McKenzie, Ens, USNR

1200-1600 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

1600-2000 MOORED AS BEFORE. 1800 SET CONDITION YOKE MODIFIED. MUSTERED THE INPORT DUTY FIRE PARTY. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

2000-2400 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Nason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARIKARA (ATF-96) ZONE DESCRIPTION _____ DATE MONDAY (Day) 18 (Date) NOVEMBER (Month), 19 63

AT/PASSAGE FROM PEARL Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	045	3	5	SCT	2997	78	75	3	2000	CU	—	—	—
02	045	3	5	SCT	2997	77	74	3	2000	CU	—	—	—
03	045	3	5	SCT	2997	77	74	3	2000	CU	—	—	—
04	040	2	7	SCT	2997	77	74	4	2000	CU	—	—	—
05	040	2	7	SCT	2997	77	74	4	2000	CU	—	—	—
06	040	2	7	SCT	2998	77	74	4	2000	CU	—	—	—
07	040	2	7	SCT	2998	77	74	4	2000	CU	—	—	—
08	—	—	8	BKN	2999	77	75.5	8	2500	CU	—	—	—
09	—	—	8	SCT	3001	80	77	5	2500	CU	—	—	—
10	—	—	8	SCT	3001	84	78.9	4	2500	CU	—	—	—
11	—	—	8	SCT	3001	85	79	5	2500	CU	—	—	—
12	—	—	8	BKN	3002	89	79	6	2500	CU	—	—	—
13	—	—	8	SCT	3002	89	79	4	2500	CU	—	—	—
14	—	—	8	SCT	3002	89	79	4	2500	CU	—	—	—
15	—	—	8	BKN	2995	91	82	6	2500	CU	—	—	—
16	050	1	10	BKN	2995	88	80	7	2000	CU	—	—	—
17	050	1	10	BKN	2995	87	80	7	2000	CU	—	—	—
18	050	1	10	BKN	2994	84	78	7	2000	CU	—	—	—
19	050	1	10	BKN	2992	80	75	7	2000	CU	—	—	—
20	060	1	10	BKN	2992	79	74	6	2000	CU	—	—	—
21	060	1	10	BKN	2992	77	73	7	2000	CU	—	—	—
22	060	1	10	BKN	2993	76	72	7	2000	CU	—	—	—
23	060	1	10	BKN	2992	74	71	7	2000	CU	—	—	—
24	070	1	10	BKN	2992	73	70	8	2000	SC	—	—	—

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: 210

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN ~~WITH ST~~ US NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII USING STANDARD cfm MOORING LINES DOUBLED. USS ARIKARA (ATF-98) MOORED ALONGSIDE TO STARBOARD. RECEIVING FRESH WATER, ELECTRICAL, STEAM AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, HMRC NAVY, HMRNZ NAVY, AND DISTRICT AND YARD CRAFT. SOPA IS DEPUTY CINCPACFLT.

C. P. McKenzie, EM, USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenzie, EM, USN

APPROVED: C C Red Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 MONDAY (Day) 18 (Date) NOVEMBER (Month) 63

0800-1200 MOORED AS BEFORE. 0845 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL.

L E Horton
LTJG USN

1200-1600 MOORED AS BEFORE.

L E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE, MODIFIED.

L E Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

L E Horton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Jr. Lt. U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE TUESDAY (Day) 19 (Date) NOVEMBER (Month), 19 63

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII. TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	1	10	BKN	2992	73	70	8	2000	Sc			
02	—	—	10	BKN	2992	73	70	8	2000	Sc			
03	—	—	10	BKN	2992	73	70	8	2000	Sc			
04	—	—	10	BKN	2992	74	70	8	2000	Sc			
05	—	—	10	BKN	2993	74	70	8	2000	CU			
06	—	—	10	BKN	2993	74	70	8	2000	CU			
07	—	—	10	SCT	2993	74	70	5	2000	CU			
08	—	—	10	SCT	2993	76	72	5	2000	CU			
09	080	1	10	SCT	2993	78	73	4	2000	CU			
10	090	3	10	SCT	2993	79	74	4	2000	CU			
11	090	5	10	SCT	2994	80	75	3	2000	CU	80	090	2
12	090	9	10	SCT	2995	80	75	3	29000	CI	80	090	2
13	090	9	10	SCT	2995	80	75	3	2000	CU	80	090	3
14	105	2	10	SCT	2999	82	75	3	2000	CU	80	125	2
15	105	2	10	SCT	2999	82	75	3	2000	CU	80	125	2
16	070	2	10	SCT	2999	89	78	3	2000	CU	80	060	2
17	070	4	10	SCT	2999	86	78	3	2000	CU	80	070	2
18	030	1	10	SCT	2999	83	78	3	2000	CU			
19	030	1	10	SCT	3000	81	77	3	2000	CU			
20	—	—	10	SCT	3001	77	74	3	2000	CU			
21	—	—	10	SCT	3002	76	73	3	2000	CU			
22	—	—	10	SCT	3002	75	72	2	2000	CU			
23	050	1	10	SCT	3003	74	72	2	2000	CU			
24	040	3	10	SCT	3000	75	74	2	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 21-01.1 N		BY 3
λ 157-49.7W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 82

FUEL CONSUMED 0000-2400: 1597

REMARKS

00-04 MOORED PORT SIDE TO IN BERTH SIERRA SEVENTEEN, US NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. USS ARIKARA (ATF-98) MOORED ALONGSIDE TO STARBOARD. RECEIVING ELECTRICAL POWER, FRESH WATER, AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S PACIFIC FLEET, HMRC FLEET, HMRNZ FLEET, ROK FLEET, YARD, AND DISTRICT CRAFT. MODIFIED MATERIAL CONDITION YOKE SET. SOPA IS C.INC PAC FLT.

JE Horton LTJG USN

04-08 MOORED AS BEFORE 0730 MUSTERED CREW ON STATIONS: ABSENTEES: NONE. COMMENCED PREPARATIONS FOR GETTING UNDERWAY. 0740 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. CAPTAIN HAS THE CONN. 0757 COMMENCED MANEUVERING VARIOUS COURSES AND SPEEDS TO CLEAR BERTH

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Slgy U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (CATF-96) Tuesday (Day) 19 (Date) November (Month) 1963

04-08 (CONT) SIERRA SEVENTEEN AND head FAIR IN THE CHANNEL. 0759 UNDERWAY IN ACCORDANCE WITH COMFLT TRAGRU OPORD 47-63, FOR LOCAL OPAREA.

J E Horton LTJG USN

08-12 UNDERWAY MANEUVERING AS BEFORE. 0802 OOD HAS THE CONN. 0830 Clear of Berth, headed FAIR IN CHANNEL ON COURSE 325°. Speed 6.7 KTS. COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS speeds TO CONFORM with Pearl Harbor Channel, 0851 PASSED BUOY 13 abeam TO STBD DISTANCE about 50 yds. COMMENCED MANEUVERING VARIOUS COURSES and speeds TO approach AND MOOR IN berth ALFA FIVE. 0907 MOORED IN BERTH AREA FIVE with STANDARD mooring lines doubled.

J E Horton LTJG USN

08-12 (CONT) MOORED AS before. COMMENCED preparations FOR getting UNDERWAY
* 0945 SET THE special SEA AND ANCHOR detail. CAPTAIN AND NAVIGATOR ON The bridge. TARGET SLED, SERIES 40, NUMBER 590 delivered alongside TO STBD. 0953 completed ~~on~~ preparation FOR getting underway. Underway FOR LOCAL OPAREA IN accordance with COMFLTTRAGRU OPORDER 47-63 with series 40 sled in Tow. COMMENCED STEERING VARIOUS COURSES AT VARIOUS speeds TO clear berth. OOD HAS THE CONN. 1006 COMMENCED STEERING VARIOUS COURSES AT VARIOUS ~~AT VARIOUS~~ speeds TO CONFORM with pearl Harbor Channel. 1011 CAPTAIN HAS THE CONN. COMMENCED STREAMING TARGET SLED to 300 Feet. 1012 C/C TO 153; C/S TO 9 KTS. 1013 OOD HAS THE CONN. 1014 C/S TO 10.8 KTS. 1017 PASSED buoy NR 3 abeam TO STBD dist about 50 yds. * 0930 SERIES 40 TARGET SLED NO 590 delivered alongside TO STBD

D D Mason, Lt, USNR

08-12 (CONT) Underway as before. 1025 C/S TO 13.8 KTS. 1030 C/S TO 14.3 KTS. 1032 ENTERED INTERNATIONAL WATERS. 1035 C/C TO 159°.

C P McKenzie, Ens, USNR

12-16 Underway AS before. 1255 C/C 159°; C/S TO 12.3 KTS. 1305 C/C 110°. 1213 C/S TO 13.3 KTS 1315 C/S TO 6 KTS. 1337 COMMENCED EXERCISE 2 Z-27-G with USS SAVAGE (DER-386). 1507 STEERING VARIOUS COURSES AND speeds ~~while~~ while PROVIDING SERVICES. 1507 Secured FROM EXERCISE, Rebased by OCE. 1508 C/S TO 12.3 KTS, C/C TO 300. 1517 C/S TO 9.5 KTS. 1527 Heaved TOW TO 600 FEET. 1534 C/S

J d Hollis CWO2 USN

16-20 Underway AS before. 1627 C/C TO 345°.

Jm Jones Ens USNR

16-20 (CONT) Underway AS before. 1726 C/C TO 333°. 1752 SET Special SEA AND ANCHOR detail. CAPTAIN AND NAVIGATOR ON THE BRIDGE. OOD HAS THE CONN. 1754 C/S TO 9.5 KTS. 1755 PASSED BUOY NR 2 Abeam TO STBD dist ABOUT 50 yds. COMMENCED MANEUVERING VARIOUS COURSES AT VARIOUS speeds TO CONFORM with Pearl Harbor channel. 1800 Heaved sled up close ASTERN. COMMENCED MANEUVERING VARIOUS COURSES AT VARIOUS TO MOOR IN BERTH ALFA FIVE. 1817 MOORED PORTSIDE TO IN BERTH ALFA FIVE, U.S. NAVAL STATION Pearl Harbor, Hawaii. 1822 SECURED THE Special Sea AND ANCHOR detail.

J E Horton LTJG USN

20-24 MOORED AS before

D D Mason, Lt, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D D Mason, Lt, U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Wednesday (Day) 20 (Date) Nov (Month), 19 63

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	020	4	8	Sct	2999	77	74	2	1500	CU			
02	020	4	8	Sct	2999	77	74	2	1500	CU			
03	020	4	8	Sct	2999	77	74	2	1500	CU			
04	020	2	8	Sct	2999	75	73	4	1650	CU			
05	020	3	8	Sct	3000	74	72	4	1500	CU			
06	020	3	8	Sct	3001	73	71	4	1500	CU			
07	020	3	10	Sct	3001	73	71	4	1500	CU	80	000	1
08	010	3	10	Sct	3001	74	72	4	1500	CU	80	000	1
09	010	3	10	Sct	3003	75	73	4	1500	CU	80	000	1
10	010	3	10	Sct	3005	76	74	3	1500	CU	80	000	1
11	010	3	10	Sct	3005	76	74	3	1500	CU	80	000	1
12	010	3	10	Sct	3006	77	75	3	1500	CU	80	000	1
13	010	3	10	Sct	3007	77	75	3	1500	CU	80	000	1
14	010	2	10	Sct	3007	77	76	3	1500	CU			
15	010	2	10	Sct	3005	77	75	3	1500	CU			
16	010	2	10	Sct	3005	77	75	3	1500	CU			
17	010	2	10	Sct	3003	75	73	5	1500	CU			
18	010	2	10	Sct	3003	75	73	5	1500	CU			
19	010	3	10	Sct	3003	73	72	5	1500	CU			
20	010	3	10	Sct	3003	72	71	5	1500	CU			
21	010	3	10	Sct	3003	71	70	5	1500	CU			
22	010	3	10	Sct	3002	70	70	5	1500	CU			
23	010	3	10	Sct	3002	70	69	5	1500	CU			
24	350	3	10	Sct	3002	70	69	5	1500	CU			

POSITION	ZONE	TIME
0800		
L 28-08.3 N	BY	3
λ 157-53.5 W	BY	3
1200		
L 21-03.2 N	BY	3
λ 157-53.4 W	BY	3
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 58

FUEL CONSUMED 0000-2400: 920

REMARKS

00-04 Moored portside to berth AIEA Five, U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving Tele phone and water services from the pier. Series 40 sled No. 590 alongside to starboard. Material condition YOKE (Modified) is set. Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is CinCPacFlt

R R Mason Lt, USNR

04-08 Moored as before. 0600 commenced making all preparations for getting underway. Mustered the crew on stations. Absentees: None. 0610 set the Special Sea and Anchor detail. 0617 Completed all preparations for getting underway, draft Aft 16', ~~Aft~~ Fwd 14', 0629 Underway for OpArea G1, G3 with Series 40 sled No. 590 in accordance with CONFLETRACRU OPORDER 47-63. Maneuvering to clear berth. Captain and Navigator on the bridge. OOD has the conn. 0634 Commenced steering various

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R R Mason, Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY 20 NOVEMBER 19
(Day) (Date) (Month)

COURSES AT VARIOUS speeds while ~~TRAS~~ TRANSITING Pearl Harbor Channel. 0640. Buoy Nr 9 abeam to STBD, distance about 50 yds. 0642 Buoy Nr 7 abeam to STBD, distance about 50 yds. 0643 STREAMED TARGET sled to 300 feet. 0644. Passed buoy Nr 5 abeam to STBD, distance 50 yds. 1653 C/S to 11.3 KTS. Passed buoy 1 to STBD, distance 50 yds. 0655 C/S to 12.3 KTS. 0656 SECURED special SEA and Anchor detail. 0711 ENTERED INTERNATIONAL WATERS. 0744 C/S to 9.5 KTS

RS Nason, Ltjg, USNR

Ø8-12 UNDERWAY AS BEFORE. Ø804 EXERCISED CREW AT GENERAL QUARTERS. Ø825 C/S A/A 9.5 KTS. Ø828 SECURED FROM GENERAL QUARTERS Ø845 C/C-167° Ø858 C/C-12.3 KTS. Ø927 STREAMED TARGET TO 3600 FT. Ø945 C/S-5 KTS. Ø948 C/S-12.3 KTS C/C-145° Ø949 C/C TO 167° C/S 6.7 KTS. 1006 USS QUAPAW (ATF-) COMMENCED EXERCISE Z-21-G 1025 C/S TO ~~6.7 KTS~~ SCH 3.3 KTS. USS QUAPAW COMPLETED EXERCISE Z-21-G. 1026 C/S TO 6.7 KTS USS QUAPAW COMMENCED EXERCISE Z-27-G. C/S TO 12.3 KTS. 1030 USS QUAPAW COMPLETED EXERCISE Z-27-G. C/S TO 6.7 KTS. 1032 HEAVED TARGET IN TO 600 FT. 1036 C/C TO 342°. 1054 C/S TO 13.3 KTS.

LE Horton
LTJG USN.

12-16 UNDERWAY AS BEFORE. 1200 C/C TO 350° 1235 C/C TO 352° 1251 C/C TO 351° 1252 C/C TO 347° 1253 C/C TO 341° 1254 C/S TO 12.3 KTS. C/S TO 9.5 KTS 1255 C/C TO 337° 1324 ENTERED INLAND WATERS. ~~1212 1326 ENTERED INLAND WATERS: 12~~ 1326 SET THE SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE COMMENCED MANEUVERING ON VARIOUS COURSES AT VARIOUS SPEEDS STANDING IN PEARL HARBOR. 1340 PASSED BUOY #2 ABEAM TO STBD. 1347 PASSED BUOY #4 ABEAM TO STARBOARD. 1355 PASSED BUOY #6 ABEAM TO STARBOARD. 1406 MOORED STARBOARD SIDE TO IN BERTH ALFA SIX (A-6), US NAVAL BASE, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES DOUBLED. RECEIVING MISCELLANEOUS SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, DISTRICT, AND YARD CRAFT. SOPA IS CINC PACFLT. 1411 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. SLED ALONG SIDE TO PORT.

C. P. McKenzie, Cns, USMR

16-20
~~12-16 (con't)~~ moored as before: 1800 set material condition yoke (modified) JDH
JD Hollis. CWO

20-24
~~16-20~~ moored as before, 1800 JDH

RS Nason, Ltjg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: RS Nason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE THURSDAY (Day) 21 (Date) NOVEMBER (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	120	3	10	SCT	3002	73	71	5	1500	CU	—	—	—
02	090	3	10	SCT	3002	73	71	5	1500	CU	—	—	—
03	000	3	10	SCT	3002	71	70	5	1500	CU	—	—	—
04	340	3	10	SCT	3002	70	69	5	1500	CI/AC	—	—	—
05	340	3	10	SCT	3002	70	69	5	1500	CI/AC	—	—	—
06	340	3	10	SCT	3002	70	69	5	1500	CI/AC	—	—	—
07	340	3	10	SCT	3002	70	69	5	1500	CI/AC	—	—	—
08	340	3	10	SCT	3002	72	705	5	1500	CU	—	—	—
09	100	12	7	SCT	2999	72	71	5	2000	CU	—	—	—
10	100	12	7	SCT	3006	79	81	5	2000	CU	80	100	3
11	100	12	7	SCT	3007	79	76	5	2000	CU	80	100	3
12	100	12	7	SCT	3007	79	76	5	2000	CU	80	100	3
13	100	3	7	SCT	3007	79	76	5	2000	CU	80	100	3
14	015	3	8	SCT	3001	78	77	5	2000	CU	80	015	2
15	015	3	8	SCT	3001	78	77	5	2000	CU	80	015	2
16	015	3	8	SCT	3001	78	77	5	2000	CU	80	015	2
17	045	5	7	SCT	3001	79	76	5	2000	CU	80	045	3
18	045	5	7	SCT	3001	79	76	5	2000	CU	80	045	3
19	045	5	7	SCT	3001	79	76	5	2000	CU	80	045	3
20	040	3	10	SCT	3000	77	75	5	2000	CU	—	—	—
21	040	3	10	SCT	3000	77	75	5	2000	CU	—	—	—
22	040	3	10	SCT	3000	75	74	5	2000	CU	—	—	—
23	040	3	10	SCT	3000	75	74	5	2000	CU	—	—	—
24	040	3	10	SCT	2999	74	72	5	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 20-54.6N		BY 3
λ 157-50W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 86

FUEL CONSUMED 0000–2400: 1833

REMARKS

00-04 moored Starboard side to alfa Sis (B-6) U.S. Naval Station Pearl Harbor, Hawaii, using standard mooring lines doubled. Material condition Yoke (modified) set. Receiving potable water and telephone service from the pier. Ships present include various units of the U.S. Pacific Fleet, R.N.Z. Navy, district and small craft. S.O.P.A. is CinCPac Flt. Service 40 sled #590 alongside to port.

J.P. Hollis. CWO2 USN

04-08 moored as before; 0745 mustered the crew at Quarters. Absentees: None.

J.P. Hollis. CWO2 USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.S. Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday 21 November, 1963 (Day) (Date) (Month)

08-12 Moored as before: 0830 Commenced making preparations for getting underway. 0840 stationed the Special Sea and anchor detail. 0846 all stations ready to get underway. Captain and Navigator are on the Bridge. 0853 Underway in accordance with ComFHTRA GP OPORD 47-63 with Series 40 sled. No 590, Commenced maneuvering on various courses + speeds while clearing berth and streaming sled. 0902 Captain has the Conn. 0904 OOD has the Conn. C/C 165, C/S 6.3. 0906 C/S 175°. 0907 passed ~~Buoy~~ Buoy abeam to stbd approx 125 feet. 0908 C/C 165°. 0910 C/C 153°, 0914 C/C 154°, 0915 C/S 7.7 Kts. 0916 C/C 155°, 0917 C/S 9.5 Kts. 0923 passed Buoy #1 abeam to stbd approx 50 yards. 0924 secured the special sea and anchor detail, set the regular underway watches. streamed target to 600 feet. 0927 C/S 10.8 Kts. 0932 C/S 11.8 Kts. C/C 117°. 0933 C/S 12.3 Kts. 0935 C/C 130°, 0938 intered International waters. 0945 C/C 127°,

Jal Hollis CWO2, USN

12-16. UNDERWAY AS BEFORE. 1243 C/S TO 3.3 KTS. 1345 C/S TO 6.7 KTS 1347 C/C TO 120° C/S TO 3.3 KTS. 1356 C/S TO 6.7 KTS. 1359 STREAMED TARGET TO 3600 FT. 1400 C/S TO 3.3 KTS. 1422 USCG CUTTER BERING STRAIT COMMENCED EXERCISE Z-21-G. 1520 USCG CUTTER BERING STRAIT COMPLETED Z-21-G. 1535 BERING STRAIT COMMENCED Z-27-G 1543 BERING STRAIT COMPLETED Z-27-G ~~1603 BERING STRAIT COMMENCED Z-25-G 1625 COMPLETED Z-25-G. 1628~~ SCH SCH

LE Horton
LTJG USN.

16-20 Underway as before 1603 USCG Ship Bering Strait Commenced Z-25-G 1605 C/S to 4 Kts 1625 Secured from Z-25-G. 1628 C/C to 320° C/S to 9.5 Kts. 1629 C/C to 340° 1636 Brought sled in to 600 ft. C/S to 3.3 kts. 1700 Bering strait sent motor whale boat to pick up divers ~~E~~ Lt (jg) LE Horton and Melocon FN. 1714 C/S to 6.7 Kts, 1721 C/S to 9.5 Kts, 1735 C/S to 14.3 Kts 1905 C/C to 352°

[illegible] Turner Enc USN

20-24 Underway as before. 2003 C/C to 334° 2006 Set the special sea and anchor detail. Captain and Navigator on the bridge. OOD has the conn. preparations have been made to enter port. Draft 13'9" forward 16' Aft. 2012 Entered channel passing buoy #2 abeam to starboard. Steering various speeds to clear channel and moor alfa docks. 2036 Moored portside to berth Alfa Five. (A-5), Series 40 sled number 590 astern.

[illegible] Turner Enc USN

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: P S Nason, LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 W DATE FRIDAY (Day) 22 (Date) NOVEMBER (Month), 19 63

AT/PASSAGE FROM Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	10	SCT	2999	74	72	5	2000	CU	—	—	—
02	040	3	10	SCT	2997	74	72	5	2000	CU	—	—	—
03	040	3	10	SCT	2997	74	72	5	2000	CU	—	—	—
04	040	3	10	SCT	3000	74	72	5	2000	CU	—	—	—
05	040	3	10	SCT	3000	74	72	5	2000	CU	—	—	—
06	040	3	10	SCT	3000	74	72	5	2000	CU	—	—	—
07	040	3	10	SCT	3003	74	72	5	2000	CU	—	—	—
08	040	3	10	SCT	3004	76	73	5	2000	CU	—	—	—
09	060	2	10	SCT	3004	76	73	5	2000	CU	80	045	1
10	060	2	10	SCT	3007	77	75	5	2000	CU	80	045	1
11	060	2	10	SCT	3007	77	75	5	2000	CU	80	045	1
12	060	2	10	SCT	3007	78	73	5	2000	CU	80	060	2
13	060	3	10	SCT	3007	79	76	5	2000	CU	80	060	2
14	060	3	10	SCT	3007	79	76	5	2000	CU	80	090	2
15	060	3	10	SCT	3004	78	75	5	2000	CU	80	090	1
16	060	3	10	SCT	3003	77	73	5	2000	CU	80	090	1
17	060	3	10	SCT	3001	77	73	5	2000	CU	80	090	1
18	060	3	10	SCT	3001	77	73	5	2000	CU	80	090	1
19	060	3	10	SCT	3001	77	73	4	2000	CU	80	090	1
20	060	4	10	SCT	3001	77	73	4	2000	CU	80	090	1
21	100	4	10	SCT	3001	77	73	4	2000	CU	—	—	—
22	100	4	10	SCT	3003	77	73	4	2000	CU	—	—	—
23	100	4	10	SCT	3001	77	73	4	2000	CU	—	—	—
24	100	4	10	SCT	2999	76	73	4	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: 26

FUEL CONSUMED 0000–2400: 240

REMARKS

00-04 Moored portside to buoy alfa fox (A-5), U.S. Naval Station, Pearl Harbor Hawaii with standard mooring lines doubled. Receiving water and telephone service from the pier. Material condition modified Yoke is set. Ships present include various units of US Pacific Fleet. Yard and district small craft.
SOPA is Cmr C Pac Flt. Series 40 sled ~~is~~ number 590 is astern.
Jas James Ens USNR

04-08 Moored as before. 0630, Series 40 sled released to LCM; 0730 Mustered crew on stations Absentees: none. Commenced preparations for getting underway 0740 Set special sea and anchor detail. Captain and Navigator on the Bridge, OOD has the Conn, Draft 13'3" forward 16'7" aft. 0755 Underway In accordance with ComFlt Tra Gru OP-ORD #7-63.* Maneuvering at various courses and speeds to clear channel seaward. 0812 Passed sea buoy #1 abeam to starboard. Jas James Ens USNR

*With Series 40 sled number 590 in tow.

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R R Mason, Stgt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 FRIDAY (Day) 22 (Date) NOVEMBER (Month) 19 63

08-12 Underway as before 0812 passed sea buoy #1 abeam to starboard. 0820 C/C 258°, 0839 C/S 180° 0848 C/S to 3.3 Kts, C/C 174°; 0910 C/C to 100, 0913 C/C to 000°; 0920 C/S to 3.3 Kts C/C to 090°; 0921 C/S to 9.5 Kts; 0922 C/S 12.5 KT 0924 C/S to 3.3 KTS; 0926 Set replenishment detail. 0928 C/C to 100°; C/S to 8 KTS, 0931 Lt (jg) Nason has the Comm. 0941 Commenced high line exercise with USS Current (ARS 22) 1005 Seamed from high line exercise; 1007 C/S to 12.3 KTS 1008 C/C to 300° 1011 Made daily inspection of magazines and smokeless powder samples, conditions normal. Made weekly test of magazine sprinkler, test satisfactory. 1013 OOD has the Comm. 1016 C/C to 304° 1023 C/C to 315 1024 C/C to 325 1026 C/S to 6.7 Kts 1027 C/C to 333 Set special sea and Anchor detail Captain and Navigator on the bridge OOD has the Comm. 1035 Captain has the Comm 1036 C/C to 328 1037 C/C to 339 1040 passed Sea buoy #2 abeam to starboard. Commenced steering various courses at various courses and speeds to moor at Alfa pier. 1057 Moored starboard side to berth Alfa Six (A-6)

A M Jamer Ens USNR

08-12 (CONTINUED) MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

12-16 MOORED AS BEFORE 1315 COMMENCED EXERCISE Z-43-5 WITH USS CURRENT (ARS 22) 1331 USS CURRENT (ARS-22) CAME ALONGSIDE TO PORT. 1407 SECURED FROM EXERCISE Z-43-5 WITH USS CURRENT (ARS-22). 1441 USS CURRENT (ARS 22) DEPARTED FROM PORTSIDE.

C. P. McKenzie, Ens, USNR

16-20 MOORED AS BEFORE. 1800 SET CONDITION YOKE MODIFIED

C. P. McKenzie, Ens, USNR

20-24 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: [signature illegible] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE SATURDAY (Day) 23 (Date) NOVEMBER (Month), 19 ____

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO ____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	4	10	SCT	2999	76	73	4	2000	CU	—	—	—
02	100	4	10	SCT	2999	76	73	4	2000	CU	—	—	—
03	100	4	10	SCT	2999	76	73	4	2000	CU	—	—	—
04	100	4	10	SCT	2999	76	73	4	2000	CU	—	—	—
05	100	4	10	SCT	2999	76	73	4	2000	CU	—	—	—
06	100	4	10	SCT	2999	76	73	4	2000	CU	—	—	—
07	100	4	10	SCT	2999	77	74	4	2000	CU	—	—	—
08	160	4	10	SCT	3000	77	74	4	2000	CU	—	—	—
09	160	4	10	BKN	3000	79	75	6	2000	CU	—	—	—
10	160	4	10	BKN	3003	80	76	6	2000	CU	—	—	—
11	160	4	10	BKN	3004	84	80	6	2000	CU	—	—	—
12	160	4	8	BKN	3006	89	83	6	2000	CU	—	—	—
13	160	4	8	BKN	3007	89	83	6	2000	CU	—	—	—
14	160	4	8	BKN	3007	85	80	6	2000	CU	—	—	—
15	160	4	8	BKN	3004	83	80	6	2000	CU	—	—	—
16	180	4	8	BKN	3000	82	77	6	2000	CU	—	—	—
17	180	4	8	BKN	3001	81	77	6	2000	CU	—	—	—
18	180	4	8	BKN	3001	80	76	6	2000	CU	—	—	—
19	180	4	8	BKN	3001	80	76	6	2000	CU	—	—	—
20	200	4	10	SCT	3001	77	74	5	2000	CU	—	—	—
21	200	4	10	SCT	3001	77	74	5	2000	CU	—	—	—
22	200	4	10	SCT	3001	77	74	5	2000	CU	—	—	—
23	200	4	10	SCT	3001	77	74	5	2000	CU	—	—	—
24	200	4	10	SCT	3003	76	73	5	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L ____	BY	____
λ ____	BY	____
1200		
L ____	BY	____
λ ____	BY	____
2000		
L ____	BY	____
λ ____	BY	____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM ____ (ZT) (Date)

TO ____ (ZT) (Date)

SET ____

DRIFT ____

POSITION BETWEEN FIXES

MID. L ____

MID. λ ____

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 190

REMARKS

00-04 MOORED STARBOARD SIDE TO IN BERTH ALFA SIX (A-6) US NAVAL BASE, PEARL HARBOR, HAWAII USING STANDARD MOORING LINES DOUBLED. RECEIVING ~~STEAM, ELECTRICAL~~ AND PHONE Dr SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, HM RNZ NAVY, AND DISTRICT AND YARD CRAFT. SOPA IS CINCPACFLT.

C. P. McKenzie, Ens, USNR

cpm

~~08~~ 04-08 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SATURDAY (Day) 23 (Date) NOVEMBER (Month) 19 63

0800-1200 MOORED AS BEFORE. 0800 MUSTERED CREW ON STATIONS ABSENTEES: NONE 0945 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITION NORMAL

JE Hunter
LTJG USN

1200-1600 MOORED AS BEFORE

JE Hunter
LTJG USN

1600-2000 MOORED AS BEFORE 1800 SET. MODIFIED MATERIAL CONDITION YOKE

JE Hunter
LTJG USN

2000-2400 MOORED AS BEFORE

JE Hunter
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: P S Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10W DATE SUNDAY (Day) 24 (Date) NOVEMBER (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	200	4	10	SCT	3003	76	73	5	2000	CU			
02	220	7	10	SCT	3003	75	72	4	2000	CU			
03	230	7	10	SCT	3004	74	71	3	2000	CU			
04	250	5	10	SCT	3005	73	71	3	2000	CU			
05	260	5	10	SCT	3005	72	70	3	2000	CU			
06	280	4	10	SCT	3005	72	70	3	2000	CU			
07	290	4	10	SCT	3005	72	70	4	2000	CU			
08	330	5	10	SCT	3006	72	70	4	2000	CU			
09	330	5	10	SCT	3007	74	72	4	2000	CU			
10	330	5	10	SCT	3007	74	72	4	2000	CU			
11	330	5	10	SCT	3007	83	79	5	2000	CU			
12	300	4	10	BKN	3006	85	79	6	2000	CU			
13	250	3	10	BKN	3005	86	79	6	2000	CU			
14	230	2	10	BKN	3004	84	79	6	2000	CU			
15	200	2	10	BKN	3002	83	79	7	2000	CU			
16	180	2	10	BKN	3000	81	79	7	2000	CU			
17	200	2	10	BKN	3000	80	77	7	2000	CU			
18	200	1	10	BKN	3001	80	77	8	2000	CU			
19	200	1	10	BKN	3001	78	76	8	2000	CU			
20	200	1	10	BKN	3001	78	75	8	2000	CU			
21	200	1	10	BKN	3001	78	75	8	2000	CU			
22	200	1	10	BKN	3003	78	76	8	2000	CU			
23	200	1	10	BKN	3003	77	76	8	2000	CU			
24	200	1	10	BKN	3003	77	76	8	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: 2ØØ

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO IN BERTH ALFA SIX U.S. NAVAL STATION, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED MODIFIED MATERIAL CONDITION YOKE SET RECIEVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT SOPA IS CINC PAC FLT.

J C Horton
LTJG USN

Ø4-Ø8 MOORED AS BEFORE

J C Horton
LTJG USN

APPROVED: C C Reed LT. U.S.N. COMMANDING

EXAMINED: D M Rosen, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Sunday (Day) 24 (Date) Nov (Month), 19 63

08-12 Moored as before. 0945 made daily inspection of magazine and smokeless powder samples.

D S Mason, Sfyy, USNR

12-16 Moored as before.

D S Mason, Sfyy, USNR

16-20 Moored as before. 1800 Set material condition Yoke (modified).

D S Mason, Sfyy, USNR

20-24 Moored as before.

D S Mason, Sfyy, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Sfyy U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 W DATE Monday (Day) 25 (Date) Nov. (Month), 19 63

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO Hilo, Hawaii

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	015	2	7	SCT	3006	71	69	5	2000	CU	—	—	—
02	015	2	7	SCT	3006	71	69	5	2000	CU	—	—	—
03	015	2	7	SCT	3006	72	70	5	2000	CU	—	—	—
04	—	—	5	BKN	3007	72	70	8.5	2000	CU	—	—	—
05	—	—	5	BKN	3007	71	70	8.5	2000	CU	—	—	—
06	—	—	5	BKN	3007	71	70	6	2000	CU	—	—	—
07	—	—	5	SCT	3007	71	70	5	2000	CU	—	—	—
08	015	3	10	SCT	3009	79	74	5	2000	CU	—	—	—
09	015	3	10	SCT	3009	82	76	5	2000	CU	—	—	—
10	015	3	10	SCT	3009	83	77	5	2000	CU	—	—	—
11	025	5	10	SCT	3009	87	77	5	2000	CI/CU	—	—	—
12	035	5	10	SCT	3008	90	78	5	2000	CI/CU	—	—	—
13	045	5	10	SCT	3007	91	79	5	2000	CI/CU	—	—	—
14	045	7	10	SCT	3005	90	79	5	2000	CI/CU	—	—	—
15	045	5	10	SCT	3003	88	76	5	2000	CI/CU	—	—	—
16	045	5	10	SCT	3003	85	76	5	2000	CU	—	—	—
17	045	4	10	SCT	3003	85	77	5	2000	CU	—	—	—
18	045	4	8	SCT	3003	83	77	5	2000	CU	—	—	—
19	045	3	8	SCT	3003	81	77	5	2000	CU	—	—	—
20	045	3	8	SCT	3003	79	77	5	2000	CU	—	—	—
21	045	3	8	SCT	3003	79	77	5	2000	CU	—	—	—
22	045	3	8	SCT	3003	79	77	5	2000	CU	—	—	—
23	045	4	8	SCT	3003	78	77	5	2000	CU	—	—	—
24	045	4	8	SCT	3003	78	77	5	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: 0

FUEL CONSUMED 0000–2400: 180

REMARKS

00-04. Moored starboard side to Berth Alfa-Six, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving fresh water and telephone services from the pier. * Ships present include various units of the U.S. Pacific Fleet, yard and district craft. SOPA is CINCPACFLT. Material condition Yoke modified is set.

R S Mason, Flyg, USNR

04-08 Moored as before. 0745 Mustered the crew at quarters Absentees:

R S Mason, Flyg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Flyg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Monday (Day) 25 (Date) Nov (Month), 19 63

08-12 Moored as before. 0845 made daily inspection of magazines and smokeless powder samples conditions normal.

Wm Turner Fireman

12-16 Moored as before

Wm Turner Fireman

16-20 Moored as before 1800 Set material Condition Yoke modified

Wm Turner Fireman

20-24 Moored as before

Wm Turner Fireman

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE Tuesday (Day) 26 (Date) November (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	040	3	8	BKN	3006	77	75	7	1000	SC	—	—	—
02	040	4	8	BKN	3006	77	75	7	1000	ST	—	—	—
03	040	4	8	BKN	3006	76	74	7	1000	ST	—	—	—
04	040	4	5	BKN	3006	74	73	7	1000	CU	—	—	—
05	040	4	5	BKN	3006	74	73	7	1000	CU	—	—	—
06	040	4	5	BKN	3006	74	73	7	1000	CU	—	—	—
07	040	4	8	BKN	3006	74	76	7	1000	CU	—	—	—
08	045	4	10	BKN	3003	77	76	8	1000	CU/ST	—	—	—
09	080	4	10	SCT	3004	81	77	4	1500	CU	—	—	—
10	080	4	10	SCT	3004	83	77	4	1500	CU	—	—	—
11	045	5	10	SCT	3004	85	77	4	1500	CU	—	—	—
12	045	5	10	SCT	3004	86	77	3	1500	CU	—	—	—
13	045	5	10	SCT	3004	86	77	3	2000	CU	—	—	—
14	045	5	10	SCT	3002	86	77	3	2000	CU	—	—	—
15	045	7	10	SCT	3002	86	77	3	2000	CU	—	—	—
16	045	7	10	SCT	3002	85	76	3	2000	CU	—	—	—
17	045	5	10	SCT	3001	83	75	3	2000	CU	—	—	—
18	045	5	10	SCT	3001	80	74	3	2000	CU	—	—	—
19	045	5	10	SCT	3001	79	74	3	2000	CU	—	—	—
20	045	5	10	SCT	3000	78	73	3	2000	CU	—	—	—
21	045	5	10	SCT	3000	77	73	3	2000	CU	—	—	—
22	045	5	10	SCT	3000	75	72	3	2000	CU	—	—	—
23	045	5	10	SCT	3000	74	72	3	2000	CU	—	—	—
24	040	5	10	SCT	3000	73	71	3	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 2ØØ

REMARKS

00-04 Moored starboard side to berth Alfa-Six (A-6) US Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving fresh water and telephone services from the pier. Material condition Yoke modified is set. Ships present include various units of US Pacific Fleet and various yard and district small craft. SOPA is Cin C Pac Flt.

[signature] Ens USNR

04-08 Moored as before 0745 mustered crew at quarters absentees: none.

[signature] Ens USNR

APPROVED: C C Reed LT U.S.N. COMMANDING

EXAMINED: R S Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 TUESDAY (Day) 26 (Date) NOVEMBER (Month) 1963

0800-1200 MOORED AS BEFORE. 1100 LAUNCHED PORT WHALE BOAT TO ASSIST MOTOR LAUNCH.

C. P. McKenzie, Ens, USNR.

1200-1600 MOORED AS BEFORE. 1311 USCGC PLANETREE (WAGB 387) UNDERWAY FROM ALFA TWO.

C. P. McKenzie, Ens, USNR.

1600-2000 MOORED AS BEFORE. 1728 USCGC BLACKHAW MOORED ALFA THREE. 1800 SET CONDITION YOKE MODIFIED. MUSTERED THE INPORT FIRE PARTY. ABSENTEES: NONE.

C. P. McKenzie, Ens, USNR

2000-2400 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION _____ DATE WEDNESDAY 27 NOVEMBER, 19 63
(Day) (Date) (Month)

AT/~~PASSAGE~~ FROM Pearl Harbor, Hawaii TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	4	10	SCT	3000	72	70	3	2000	CU	—	—	—
02	040	4	10	SCT	3000	72	70	3	2000	CU	—	—	—
03	040	4	8	SCT	3001	71	70	3	2000	CU	—	—	—
04	040	4	6	SCT	2999	72	71	4	2000	CU	—	—	—
05	040	4	6	SCT	2997	74	73	4	2000	CU	—	—	—
06	040	4	10	OVC	2997	74	73	10	1500	CU	—	—	—
07	040	4	10	BKN	2997	74	73	8	1500	CU	—	—	—
08	040	4	8	BKN	2997	74	73	9	1500	CU	—	—	—
09	080	1	8	BKN	2995	77	75	9	2000	CU	—	—	—
10	080	1	8	BKN	2998	80	78	9	2000	CU	—	—	—
11	080	1	8	BKN	2998	80	78	9	2000	CU	—	—	—
12	080	1	8	BKN	2999	80	78	9	2000	CU	—	—	—
13	040	2	10	BKN	3000	80	78	7	2000	CU	—	—	—
14	040	2	10	BKN	3000	79	77	6	2000	CU	—	—	—
15	040	2	10	BKN	3000	79	77	6	2000	CU	—	—	—
16	040	2	10	SCT	2998	78	76	5	2000	CU	—	—	—
17	040	2	10	SCT	2997	77	75	4	2000	CU	—	—	—
18	040	2	10	SCT	2997	76	74	4	2000	CU	—	—	—
19	040	2	10	SCT	2997	76	74	4	2000	CU	—	—	—
20	040	2	10	SCT	2997	74	73	4	2000	CU	—	—	—
21	040	2	10	SCT	2995	73	73	4	2000	CU	—	—	—
22	040	2	10	SCT	2998	72	71	5	2000	CU	—	—	—
23	040	2	10	SCT	3000	72	71	5	2000	CU	—	—	—
24	040	2	10	SCT	3000	71	70	5	2000	CU	—	—	—

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) _____ (Date)

TO _____ (ZT) _____ (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: 21Ø

REMARKS

ØØ-Ø4 MOORED STARBOARD SIDE TO IN BERTH ALFA SIX (A-6), US NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER, TELEPHONE, ELECTRICAL, AND STEAM SERVICES FROM THE PIER. MATERIAL CONDITION YOKE MODIFIED SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS CINCPACFLT.

C.P. McKenzie, Ens, USNR

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED THE CREW AT QUARTERS. ABSENTEES: NONE.

C. P. McKenzie Ens, USNR

APPROVED: C C Reed LT. U.S.N. COMMANDING

EXAMINED: P S Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 WEDNESDAY (Day) 27 (Date) NOVEMBER (Month), 19 63

0800-1200 MOORED AS BEFORE. 0903 MADE DAILY MAGAZINE AND SMOKELESS POWDER SAMPLES' INSPECTION, CONDITIONS NORMAL.

J E Horton
LTJG USN

1200-1600 MOORED AS BEFORE.

J E Horton
LTJG USN

1600-2000 MOORED AS BEFORE. 1800 SET MODIFIED MATERIAL CONDITION YOKE.

J E Horton
LTJG USN

2000-2400 MOORED AS BEFORE.

J E Horton
LTJG USN

APPROVED: C Reed Lt. U.S.N. COMMANDING

EXAMINED: R Mason, Ltjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-M1

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10 DATE THURSDAY (Day) 28 (Date) NOVEMBER (Month) 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	2	10	SCT	3000	71	70	5	2000	CU	–	–	–
02	040	2	10	SCT	3000	71	70	5	2000	CU	–	–	–
03	040	2	10	SCT	3000	71	70	5	2000	CU	–	–	–
04	040	2	10	SCT	2997	71	70	5	2000	CU	–	–	–
05	040	2	10	SCT	2997	73	71	5	2000	CU	–	–	–
06	040	2	10	SCT	2997	75	72	5	2000	CU	–	–	–
07	040	2	10	SCT	2995	75	72	5	2000	CU	–	–	–
08	–	–	10	SCT	2994	76	73	5	2000	CU	–	–	–
09	–	–	10	SCT	2994	76	73	5	2000	CU	–	–	–
10	355	3	10	SCT	2995	80	76	5	2500	CU	–	–	–
11	355	3	10	SCT	2995	80	76	5	2500	CU	–	–	–
12	350	3	10	SCT	2995	83	77	5	2000	CU	–	–	–
13	340	3	10	SCT	2996	84	78	5	2000	CU	–	–	–
14	340	3	10	SCT	2997	85	78	5	2000	CU	–	–	–
15	340	3	10	BKN	2998	85	79	6	2000	CU	–	–	–
16	340	3	10	BKN	2998	85	79	6	2000	CU	–	–	–
17	345	3	10	BKN	2999	86	79	6	2000	CU	–	–	–
18	350	3	10	BKN	2999	85	79	6	2000	CU	–	–	–
19	350	3	8	BKN	2997	84	78	6	2000	CU	–	–	–
20	000	2	8	BKN	2998	83	78	6	1000	CU	–	–	–
21	000	2	8	BKN	2998	81	77	6	1000	CU	–	–	–
22	005	2	8	BKN	2998	79	77	6	1000	CU	–	–	–
23	005	2	8	BKN	2998	79	77	6	1000	CU	–	–	–
24	040	5	10	SCT	2997	76	74	4	2000	CU	–	–	–

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000–2400: Ø

FUEL CONSUMED 0000–2400: 200

REMARKS

ØØ-Ø4. MOORED STARBOARD SIDE TO IN BERTH ALFA SIX. US NAVAL STATION, PEARL HARBOR, HAWAII, WITH STANDARD MOORING LINES. MATERIAL CONDITION YOKE, MODIFIED, SET. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS CINC PAC FLT.

J E Horton
LT JG USN

Ø4-Ø8 MOORED AS BEFORE. Ø745 MUSTERED CREW ON STATIONS ABSENTEES: NONE

J E Horton
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: P S Mason, Ltjg U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Abnaki (ATF-96) Thursday (Day) 28 (Date) Nov (Month), 19 63

08-12 Moored as before. 0900 Made daily inspection of magazine and smokeless powder samples.

P S Mason, Stjg, USNR

12-16 Moored as before.

P S Mason, Stjg, USNR

16-20 Moored as before. 1800 Set material condition Yoke (Modified).

P S Mason, Stjg, USNR

20-24 Moored as before.

P S Mason, Stjg, USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: P S Mason, Stjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10W DATE Friday (Day) 29 (Date) Nov (Month), 19 63

AT/~~PASSAGE FROM~~ Pearl Harbor Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	5	10	SCT	2997	75	73	3	2000	CU			
02	040	5	10	SCT	2996	73	70	3	2000	CU			
03	040	5	10	SCT	2994	70	68	3	2000	CU			
04	040	5	8	SCT	2994	70	68	3	2000	CU			
05	040	5	8	SCT	2993	70	68	3	2000	CU			
06	040	4	8	SCT	2992	69	68	3	2000	CU			
07	035	4	10	SCT	2992	70	69	2	2000	CU			
08	030	2	10	SCT	2999	70	69	2	2000	CU			
09	030	2	10	SCT	2999	70	69	2	2000	CU			
10	030	2	10	SCT	2999	73	71	2	2000	CU			
11	210	5	10	SCT	2996	78	75	3	2000	CU			
12	180	5	10	SCT	2996	79	76	3	2000	CU			
13	170	4	10	SCT	2997	80	77	3	2000	CU			
14	130	3	10	SCT	2997	81	80	3	2000	CU			
15	100	2	10	SCT	2998	82	80	3	2000	CU			
16	090	2	10	SCT	2998	83	81	3	2000	CU			
17	090	2	10	SCT	2996	82	79	3	2000	CU			
18	090	2	10	SCT	2996	82	79	3	2000	CU			
19	090	1	10	SCT	2997	80	78	3	2000	CU			
20	080	2	10	SCT	2998	77	75	3	2000	CU			
21	070	2	10	SCT	2999	75	73	3	2000	CU			
22	060	1	10	SCT	3000	74	72	2	2000	CU			
23	040	2	10	SCT	3000	73	71	2	2000	CU			
24	030	2	10	SCT	3001	71	68	2	2000	CU			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: Ø

FUEL CONSUMED 0000-2400: 200

REMARKS

00-04. Moored starboard side to berth ALFA-Six, U.S. Naval Base, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving fresh water and telephone services from the pier. Material condition Yoke (Modified) is set. Ships present include various units of the U.S. Pacific Fleet Yard and district craft. SOPA is CINCPACFLT.

R S Mason, Lt(jg), USNR

04-08 Moored as before. 0745 Mustered the crew at quarters. Absentees: none.

R S Mason, Lt(jg), USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Lt(jg) U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 Friday (Day) 29 (Date) Nov (Month), 1963

08-12 Moored as before. 0925 Made daily inspection of powder magazine and smokeless powder samples. conditions normal. Made weekly test of magazine sprinkler system. test satisfactory

A M Turner Ens USNR

12-16 Moored as before

A M Turner Ens USNR

16-20 Moored as before 1800 Set material condition Yoke modified.

A M Turner Ens USNR

20-24 Moored as before

A M Turner Ens USNR

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: D S Mason, Stjg U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY

NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF-96 ZONE DESCRIPTION +10W DATE SATURDAY (Day) 30 (Date) NOVEMBER (Month), 19 63

AT/PASSAGE FROM PEARL HARBOR HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	030	5	10	SCT	3001	70	68	3	2000	CU			
02	030	2	10	SCT	3001	69	67	2	2000	CU			
03	030	5	10	SCT	3000	69	67	2	2000	CU			
04	030	6	10	CLR	2996	68	66	—	—	—			
05	030	6	10	CLR	2996	68	66	—	—	—			
06	030	6	10	CLR	2996	68	66	—	—	—			
07	030	6	10	SCT	2997	73	66	2	2000	CU			
08	—	—	10	SCT	3000	73	67	2	2000	CU			
09	—	—	10	SCT	3000	75	69	2	2000	CU			
10	—	—	10	SCT	2999	77	70	2	2000	CU			
11	—	—	10	SCT	2999	80	73	3	2000	CU			
12	140	3	10	SCT	2998	80	73	3	2000	CU			
13	140	3	10	SCT	2997	80	73	4	2000	CU			
14	150	2	10	SCT	2995	79	71	4	2000	CU			
15	220	3	10	SCT	2994	79	71	3	2000	CU			
16	220	3	10	SCT	2994	80	71	3	2000	CU			
17	210	3	10	SCT	2994	77	71	2	2000	CU			
18	210	3	10	SCT	2993	76	71	2	2000	CU			
19	220	4	10	SCT	2993	75	70	3	2000	CU			
20	230	4	10	SCT	2993	75	70	3	2000	CU			
21	230	4	10	SCT	2994	74	69	3	2000	CU			
22	230	4	10	SCT	2994	73	68	3	2000	CU			
23	220	2	10	SCT	2994	72	67	3	2000	CU			
24	220	2	10	SCT	2994	71	66	3	2000	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM (ZT) (Date)
TO (ZT) (Date)
SET
DRIFT
POSITION BETWEEN FIXES
MID. L
MID. λ

MILES STEAMED 0000–2400
Ø

FUEL CONSUMED 0000–2400
200

REMARKS

00-04 Moored starboard side to berth A-6 Quay-Six (A-6) U S Naval Base, Pearl Harbor Hawaii with standard mooring lines doubled. Receiving fresh water and telephone services from the pier. Material condition Yoke modified is set. Ships present include various units of the U.S. Pacific Fleet, Yard and district craft. SOPA is C in C Pac Flt.

K M Jansen Ens USN

04-08 Moored as before. 0745 Mustered crew on station absentees: none.

K M Jansen Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R S Mason, Jr Lt U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF-96 SATURDAY (Day) 30 (Date) NOVEMBER (Month) 19 63

0800-1200 MOORED AS BEFORE. 0815 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS: NORMAL.

C. P. McKenzie, Ens, USNR

C/m

~~Hc~~

1200-1600 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

1600-2000 MOORED AS BEFORE. 1800 SET CONDITION XRAY MODIFIED.

C. P. McKenzie, Ens, USNR

2000-2400 MOORED AS BEFORE.

C. P. McKenzie, Ens, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R S Mason, Lt(jg) U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

EMERGENCY
NAVY-DPPO-12ND-MI

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED
0000–2400

FUEL CONSUMED
0000–2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR